

# Quick Check<sup>®</sup> Commercial

Alignment and tread inspection for heavy-duty vehicles

**NEW**



**MADE IN USA**  
HUNTER ENGINEERING COMPANY ST. LOUIS, MO

- ✓ Scan every axle, scan every tread
- ✓ Reduce fuel costs across the board
- ✓ Greatly extend tire life





# Unmanned Heavy-Duty Inspection

## Automatic Alignment and Tread Depth Results

- ✓ **HD Quick Check Drive®** — Touchless total toe and scrub
- ✓ **Quick Tread Heavy** — Measures tread depth, and instantly displays results
- ✓ Discover critical safety, tire, and fuel saving opportunities
- ✓ No additional labor required

NO STOPPING



NO LABOR



NO DATA ENTRY\*




**HD Quick Check Drive®** —  
The world's first drive-thru HD  
alignment inspection solution  
*including tandem axle scrub!*

**Quick Tread Heavy** — touchless  
tread depth measurements,  
*even on multi-trailers!*

## HD Flightboard™

- ✓ Monitor fleet status live
- ✓ Multiple trailer tread display supported!



Hunter's touchless HD inspection solution provides total toe, scrub, and tread depth results in seconds, even on multi-trailer configurations and super single tires


## Shop Results

Present detailed inspection information from any PC or tablet with an internet connection.



## Push Reports

Daily delivery of inspection rates, opportunities, alignment numbers, and conversions by email and text from your connected Hunter equipment that allows you to compare results to goals you set.





# Return On Investment

## FLEETS

Trucks in Fleet: **75**

Trailers in Fleet: **125**

Yearly Fuel Savings | €153.563

Yearly Tire Savings | €51.235

<b>Combined Yearly Savings</b>	<b>€204798</b>
<b>Equipment Investment</b>	<b>€160.000*</b>

**Equipment Payback | 9 Months**

## HD REPAIR

Trucks per Week: **50**

Weekly Alignment Gross Profit  
(@ €70 per axle) | €2.573

Weekly Tire Gross Profit | €1.913

<b>Add'l Weekly Gross Profit</b>	<b>€4.485</b>
<b>Equipment Investment</b>	<b>€160.000*</b>

**Equipment Payback | 9 Months**

\* Estimated Pricing, final investment dependent on site construction costs.

**For a more detailed, interactive return on investment estimate, scan this QR code to visit our website.**



# Specifications

Site Specifications	
<b>Power Requirements</b>	115/230v, 15 amp** 50/60 Hz 1 ph†
<b>Internet Requirement</b>	Hardwired, 20+mbps up and down, Ping Speed faster than 1000 ms.
<b>Operating System</b>	Windows® 10 - 64 Bit
<b>Included Cable Length</b>	22 m / 75 ft. per sensor (Cat5e)
Product Specifications	
<b>Min Req. Light Condition</b>	600 Lux
<b>Test Entry Speed</b>	3-13 km/h (2 to 8 mph)
Shipping Weight	
<b>Console Cabinet</b>	WU570E: 179 kg (393 lb), WU590E: 73 kg (161 lb)
<b>Sensor Towers</b>	157 kg (345 lbs)
<b>Tread Depth Assembly</b> (including frame, sensors, hardware)	2280 kg (5026 lbs)

\*\* Amperage shown is minimal circuit rating.

† Isolated ground recommended.

Because of continuing technological advances, specifications, models and options are subject to change without notice.



NOTE: See form QF07913-00, 07m-21 for complete information, including environmental specifications and UL certifications.

**HUNTER**  
Engineering Company

[www.hunter.com](http://www.hunter.com)

11250 Hunter Drive, Bridgeton, MO 63044, USA  
Tel: +1-314-731-3020, Fax: +1-314-731-0132  
Email: [international@hunter.com](mailto:international@hunter.com)